

PHILIPPINE BIDDING DOCUMENTS

**Supply and Delivery of
IT Equipment with
Peripherals and Air-
Conditioning Units
including Installation**

Government of the Republic of the Philippines

**Bid Opening: August 31, 2022
10:00am**

Sixth Edition July 2020

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the “*name of the Procuring Entity*” and “*address for bid submission*,” should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.

- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Glossary of Acronyms, Terms, and Abbreviations	4
Section I. Invitation to Bid.....	7
Section II. Instructions to Bidders.....	10
1. Scope of Bid	11
2. Funding Information.....	11
3. Bidding Requirements	11
4. Corrupt, Fraudulent, Collusive, and Coercive Practices	12
5. Eligible Bidders.....	12
6. Origin of Goods	13
7. Subcontracts	13
8. Pre-Bid Conference	13
9. Clarification and Amendment of Bidding Documents	13
10. Documents comprising the Bid: Eligibility and Technical Components	14
11. Documents comprising the Bid: Financial Component	14
12. Bid Prices	14
13. Bid and Payment Currencies	15
14. Bid Security	16
15. Sealing and Marking of Bids	16
16. Deadline for Submission of Bids	16
17. Opening and Preliminary Examination of Bids	17
18. Domestic Preference	17
19. Detailed Evaluation and Comparison of Bids	17
20. Post-Qualification	18
21. Signing of the Contract	19
Section III. Bid Data Sheet	20
Section IV. General Conditions of Contract	22
1. Scope of Contract	23
2. Advance Payment and Terms of Payment	23
3. Performance Security	23
4. Inspection and Tests	24
5. Warranty	24
6. Liability of the Supplier	24
Section V. Special Conditions of Contract	25
Section VI. Schedule of Requirements	30
Section VII. Technical Specifications	44
Section VIII. Checklist of Technical and Financial Documents	65

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means “delivered duty paid.”

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – “Free Carrier” shipping point.

FOB – “Free on Board” shipping point.

Foreign-funded Procurement or Foreign-Assisted Project– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



INVITATION TO BID
SUPPLY AND DELIVERY OF IT EQUIPMENT WITH PERIPHERALS AND AIR-CONDITIONING
UNITS INCLUDING INSTALLATION
PUBLIC BIDDING NO. VMC-2022-035

1. The Valenzuela Medical Center (VMC), through the General Appropriations Act/Income CY 2022, intends to apply the sum of **Philippine Currency: Seven Million Six Hundred Three Thousand Nine Hundred Forty-Six Pesos and 59/100 Only (P 7,603,946.59)** being the Approved Budget for the Contract (ABC) to payments for the **SUPPLY AND DELIVERY OF IT EQUIPMENT WITH PERIPHERALS AND AIR-CONDITIONING UNIT INCLUDING INSTALLATION**. Bids received in excess of the ABC shall be automatically rejected at bid opening.
2. The Valenzuela Medical Center (VMC) now invites bids for the above Procurement Project. Delivery of the Goods is required within the period specified under Sec. VI. Bidders should have completed, within three (3) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary “*pass/fail*” criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
4. Prospective Bidders may obtain further information starting **August 11, 2022** and inspect the Bidding Documents at the address given below during 9:00am-11:00am and 2:00pm-4:00pm.
5. A complete set of Bidding Documents may be acquired by interested Bidders on **August 11, 2022**, 10:00am from the given address and upon payment of a non-refundable fee in the amount as follows:

ABC to be Bid	Maximum Cost of Bidding Documents (in Philippine Peso)
500,000 and below	500.00
More than 500,000 up to 1 Million	1,000.00
More than 1 Million up to 5 Million	5,000.00
More than 5 Million up to 10 Million	10,000.00
More than 10 Million up to 50 Million	25,000.00

The Procuring Entity shall allow the bidder to present its proof of payment for the fees either *in person, by facsimile, or through electronic means.*

[NOTE: For lot procurement, the maximum fee for the Bidding Documents for each lot shall be based on its ABC, in accordance with the Guidelines issued by the GPPB; provided that the total fees for the Bidding Documents of all lots shall not exceed the maximum fee prescribed in the Guidelines for the sum of the ABC of all lots.]

6. The Valenzuela Medical Center will hold a Pre-Bid Conference¹ on **August 19, 2022, 10:00 am** at BAC Office, Admin. Bldg., Valenzuela Medical Center, Padrigal St., Karuhatan, Valenzuela City and/or through video conferencing or webcasting *via Zoom*, which shall be open to prospective bidders.
7. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below on or before **August 31, 2022, 10:00am**. Late bids shall not be accepted.
8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
9. Bid opening shall be on **August 31, 2022, 10:00am** at the given address below, (if applicable) or and/or *via Zoom*. Bids will be opened in the presence of the bidders’ representatives who choose to attend the activity.

10. *Prospective bidders shall provide use of a back-up data or cloud storage for large files uploaded for online bid submissions*
11. The Valenzuela Medical Center reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
12. For further information, please refer to:

BAC Secretariats' Office
Valenzuela Medical Center, Annex Building, 2nd Floor,
Padrigal St., Valenzuela City
Telefax No. 294-4625
Email: vmc_bac@yahoo.com

JOSEPH T. NOCOM, MD, FPOA
Chairman, Bids and Awards Committee

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, *Valenzuela Medical Center (VMC)* wishes to receive Bids for the *Supply and Delivery of I.T. Equipment with Peripherals and Air-Conditioning Unit including Installation*, with identification number *under Public Bidding VMC 2022-035*.

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as “Project”) is composed of *thirteen (13) items for IT Equipment and one (1) lot for Air-Conditioning Unit with installation*, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

2.1. The GOP through the source of funding as indicated below for *CY 2022* in the amount of *Philippine Currency: Seven Million Six Hundred Three Thousand Nine Hundred Forty-Six Pesos and 59/100 Only (P 7,603,946.59)*.

2.2. The source of funding is:

[If an early procurement activity, select one and delete others:]

a. NGA, the National Expenditure Program.

[If not an early procurement activity, select one and delete others:]

a. NGA, the General Appropriations Act or Special Appropriations.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

5.2. *[Select one, delete other/s]*

a. Foreign ownership exceeding those allowed under the rules may participate pursuant to:

i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;

ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;

iii. When the Goods sought to be procured are not available from local suppliers; or

iv. When there is a need to prevent situations that defeat competition or restrain trade.

b. Foreign ownership limited to those allowed under the rules may participate in this Project.

5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA’s CPI, must be at least equivalent to:

[Select one, delete the other/s]

a. For the procurement of Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC.

b. For procurement where the Procuring Entity has determined, after the conduct of market research, that imposition of either (a) or (b) will likely result to failure of bidding or monopoly that will defeat the purpose of

public bidding: the Bidder should comply with the following requirements:
[Select either failure or monopoly of bidding based on market research conducted]

- i. Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least *fifty percent (50%) in the case of non-expendable supplies and services or twenty-five percent (25%) in the case of expendable supplies* of the ABC for this Project; and
- ii. The largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.

5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

[Select one, delete other/s]

- a. Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on **August 19, 2022, 10:00am** and either at its physical address, Valenzuela Medical Center, Annex 1 Building, Padrigal St. Karuhatan, Valenzuela City and/or through videoconferencing/webcasting as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *three (3) years period as provided in paragraph 2 of the **IB*** prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.
- 11.5. *[Include if Framework Agreement will be used:]* Financial proposals for single or multi-year Framework Agreement shall be submitted before the deadline of submission of bids as prescribed in the **IB**. For multi-year Framework Agreement, evaluation of the financial proposal during this stage is for purposes of determining eligibility and whether or not such financial proposal is within the ABC.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:

- i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.
- b. For Goods offered from abroad:
- i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications)**.

12.2. *[Include if Framework Agreement will be used:]* For Framework Agreement, the following should also apply in addition to Clause 12.1:

- a. For a single year Framework Agreement, the prices quoted by the Bidder shall be fixed during the Bidder's performance of the contract and not subject to variation or escalation on any account. Price schedules required under Clause 12.1 shall be submitted with the bidding documents.
- b. For a multi-year Framework Agreement, the prices quoted by the Bidder during submission of eligibility documents shall be the ceiling and the price quoted during mini-competition must not exceed the initial price offer. The price quoted during call for mini-competition shall be fixed during the Bidder's performance of that Call-off and not subject to variation or escalation on any account. Price schedules required under Clause 12.1 shall be submitted with the bidding documents.

13. Bid and Payment Currencies

13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.

13.2. Payment of the contract price shall be made in:

[Select one, delete the other/s]

- a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration² or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until *[indicate date]*. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.
- 14.3. *[Include if Framework Agreement will be used:]* In the case of Framework Agreement, other than the grounds for forfeiture under the 2016 revised IRR, the bid security may also be forfeited if the successful bidder fails to sign the Framework Agreement, or fails to furnish the performance security or performance securing declaration. Without prejudice on its forfeiture, bid securities shall be returned only after the posting of performance security or performance securing declaration, as the case may be, by the winning Bidder or compliant Bidders and the signing of the Framework Agreement.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

- 16.1. The Bidders shall submit on the specified date and time (**August 31, 2022 @10:00am**) and either at its physical address, **Valenzuela Medical Center, Annex 1 Building, Padrigal St. Karuhatan, Valenzuela City** or through online submission as indicated in paragraph 7 of the **IB**.
- 16.2. *[Include if Framework Agreement will be used:]* For multi-year Framework Agreement, the submission of bids shall be for the initial evaluation of their technical and financial eligibility. Thereafter, those declared eligible during the said initial eligibility evaluation and entered into a Framework Agreement with

² In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

the Procuring Entity shall submit anew their best financial offer at the address and on or before the date and time indicated in the Call for each mini-competition.

17. Opening and Preliminary Examination of Bids

- 17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

- 17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

- 18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.
- 18.2. *[Include if Framework Agreement will be used:]* For multi-year Framework Agreement, determination of margin of preference shall be conducted every call for Mini-Competition.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.

[Include the following options if Framework Agreement will be used:]

- a. In the case of single-year Framework Agreement, the Lowest Calculated Bid shall be determined outright after the detailed evaluation;
 - b. For multi-year Framework Agreement, the determination of the eligibility and the compliance of bidders with the technical and financial aspects of the projects shall be initially made by the BAC, in accordance with Item 7.4.2 of the Guidelines on the Use of Framework Agreement.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.

- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:
- [Select one, delete the other/s]*
- Option 1 – One Project having several items that shall be awarded as one contract.
- Option 2 – One Project having several items grouped into several lots, which shall be awarded as separate contracts per lot.
- Option 3 - One Project having several items, which shall be awarded as separate contracts per item.
- [Delete Options 2 and 3 if Framework Agreement will be used.]*
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

- 20.1. *[Include if Framework Agreement will be used:]* For multi-year Framework Agreement, all bidders initially determined to be eligible and financially compliant shall be subject to initial post-qualification. The BAC shall then recommend the execution of a Framework Agreement among all eligible, technically and financially compliant bidders and the Procuring Entity and shall be issued by HoPE a Notice to Execute Framework Agreement. The determination of the Lowest Calculated Bid (LCB) shall not be performed by the BAC until a Mini-Competition is conducted among the bidders who executed a Framework Agreement. When a Call for Mini-Competition is made, the BAC shall allow the bidders to submit their best financial proposals on such pre-scheduled date, time and place to determine the bidder with the LCB.
- 20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, *{[Include if Framework Agreement will be used:]* or in the case of multi-year Framework Agreement, that it is one of the eligible bidders who have submitted bids that are found to be technically and financially compliant, *}* the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**. *{[Include if Framework*

Agreement will be used:}] For every mini-competition in Framework Agreement, the LCB shall likewise submit the required documents for final Post Qualification.}

21. Signing of the Contract

- 21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

[Include the following clauses if Framework Agreement will be used:]

- 21.2. At the same time as the Procuring Entity notifies the successful Bidder that its bid has been accepted, the Procuring Entity shall send the Framework Agreement Form to the Bidder, which contract has been provided in the Bidding Documents, incorporating therein all agreements between the parties.
- 21.3. Within ten (10) calendar days from receipt of the Notice to Execute Framework Agreement with the Procuring Entity, the successful Bidder or its duly authorized representative shall formally enter into a Framework Agreement with the procuring entity for an amount of One Peso to be paid to the procuring entity as a consideration for the option granted by the procuring entity to procure the items in the Framework Agreement List when the need arises.
- 21.4. The Procuring Entity shall enter into a Framework Agreement with the successful Bidder within the same ten (10) calendar day period provided that all the documentary requirements are complied with.
- 21.5. The following documents shall form part of the Framework Agreement:
- a. Framework Agreement Form;
 - b. Bidding Documents;
 - c. Call-offs;
 - d. Winning bidder's bid, including the Technical and Financial Proposals, and all other documents/statements submitted (*e.g.*, bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;
 - e. Performance Security or Performance Securing Declaration, as the case may be;
 - f. Notice to Execute Framework Agreement; and
 - g. Other contract documents that may be required by existing laws and/or specified in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

ITB Clause	
5.3	<p>For this purpose, contracts similar to the Project shall be:</p> <ul style="list-style-type: none"> a. Similar to IT Equipment and Airconditioning Unit b. With completed contract within the last three (3) years from date of bid opening.
7.1	<i>[Specify the portions of Goods to be subcontracted, which shall not be a significant or material component of the Project as determined by the Procuring Entity.] N/A</i>
12	The price of the Goods shall be quoted DDP <i>[state place of destination]</i> or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	<p>The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:</p> <ul style="list-style-type: none"> a. The amount of not less than _____ <i>[Indicate the amount equivalent to two percent (2%) of ABC]</i>, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or b. The amount of not less than _____ <i>[Indicate the amount equivalent to five percent (5%) of ABC]</i> if bid security is in Surety Bond.
19.3	<p><i>[In case the Project will be awarded by lot, list the grouping of lots by specifying the group title, items, and the quantity for every identified lot, and the corresponding ABC for each lot.] ABC</i></p> <p><i>[In case the project will be awarded by item, list each item indicating its quantity and ABC.] N/A</i></p>
20.2	
21.2	<p><i>[List here any additional contract documents relevant to the Project that may be required by existing laws and/or the Procuring Entity.] REFER TO TERMS OF REFERENCE</i></p> <p><i>Comply with all Statutory Laws, Decrees, Rules and Regulations pertaining to its business and employment of its personnel, and shall hold the hospital free from all obligations and liabilities arising from labor, social and other legislations</i></p>

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

2. Advance Payment and Terms of Payment

2.1. Advance payment of the contract amount is provided under Annex “D” of the revised 2016 IRR of RA No. 9184.

2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

[Include the following clauses if Framework Agreement will be used:]

2.3. For a single-year Framework Agreement, prices charged by the Supplier for Goods delivered and/or services performed under a Call-Off shall not vary from the prices quoted by the Supplier in its bid.

2.4. For multi-year Framework Agreement, prices charged by the Supplier for Goods delivered and/or services performed under a Call-Off shall not vary from the prices quoted by the Supplier during conduct of Mini-Competition.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184. *[Include if Framework Agreement will be used:] In the case of Framework Agreement, the Bidder may opt to furnish the performance security or a Performance Securing Declaration as defined under the Guidelines on the Use of Framework Agreement.]*

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project *{[Include if Framework Agreement will be used:] or Framework Agreement}* specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC, Section IV (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

GCC Clause	
1	<p><i>[List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:]</i> REFER TO TERMS OF REFERENCE</p> <p>Delivery and Documents –</p> <p>For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:</p> <p><i>[For Goods supplied from abroad, state:]</i> “The delivery terms applicable to the Contract are DDP delivered <i>[indicate place of destination]</i>. In accordance with INCOTERMS.”</p> <p><i>[For Goods supplied from within the Philippines, state:]</i> “The delivery terms applicable to this Contract are delivered <i>[indicate place of destination]</i>. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.”</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).</p> <p>For purposes of this Clause the Procuring Entity’s Representative at the Project Site is <i>[indicate name(s)]</i>.</p> <p>Incidental Services –</p> <p>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: <i>Select appropriate requirements and delete the rest.</i></p> <ol style="list-style-type: none"> a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the supplied Goods; c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and

- e. training of the Procuring Entity’s personnel, at the Supplier’s plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.
- f. *[Specify additional incidental service requirements, as needed.]*

The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Spare Parts –

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

Select appropriate requirements and delete the rest.

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
 - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI (Schedule of Requirements)** and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of *[indicate here the time period specified. If not used indicate a time period of three times the warranty period]*.

Spare parts or components shall be supplied as promptly as possible, but in any case, within *[insert appropriate time period]* months of placing the order.

	<p>Packaging –</p> <p>The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods’ final destination and the absence of heavy handling facilities at all points in transit.</p> <p>The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.</p> <p>The outer packaging must be clearly marked on at least four (4) sides as follows:</p> <p>Name of the Procuring Entity Name of the Supplier Contract Description Final Destination Gross weight Any special lifting instructions Any special handling instructions Any relevant HAZCHEM classifications</p>
	<p>A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.</p> <p>Transportation –</p> <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.</p> <p>Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.</p>

	<p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.</p> <p>The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.</p> <p>Intellectual Property Rights –</p> <p>The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.</p>
2.2	<p><i>[If partial payment is allowed, state]</i> “The terms of payment shall be as follows: _____.”</p>
4	<p>The inspections and tests that will be conducted are: <i>[Indicate the applicable inspections and tests]</i></p>

SUPPLY AND DELIVERY OF IT EQUIPMENT WITH PERIPHERALS AND AIR-CONDITIONING UNIT INCLUDING INSTALLATION

Terms of Reference (FOR Air-Conditioning Units)

A. Name and Description of the Project:

One (1) lot – Supply and Delivery, Installation, Testing and Commissioning of Air-Conditioning Units, complete with standard accessories as per manufacturer’s standard for Valenzuela Medical Center – Hospital Building, Infectious Disease Clinics Building and Administrative Building.

B. Objectives of the Project:

1. To properly ventilate the area
2. To provide occupants a comfortable environment with good indoor air quality

C. Scope of the Project and Delivery Time/Completion

Supply, Delivery and Installation	Mobilization of manpower and equipment/tools
1. Supply, delivery and installation	<ul style="list-style-type: none"> - Mobilization of manpower and equipment/tools - Location of FCU, ACCU shall be coordinated and approved by end-user - All units should have circuit breaker according to ACU rating in NEMA3R Enclosure (Galvanized powder coated finish, gauge 16, compatible for 1 to 3 poles, not top entry) - Complete installation, hardware and accessories to all units - Installation, Testing and Commissioning - Dismantling of existing unit if present - Rehabilitation, cleaning-up works and demobilization

<p>2. Air-Conditioning Units & Location</p>	<ul style="list-style-type: none"> - Air-Conditioning Unit, Split Type (Wall Mounted), 1.0HP (2 units) - Air-Conditioning Unit, Split Type (Wall Mounted), 2.5HP (2 units) - Air-Conditioning Unit, Split Type (Cabinet Type), 3.0TR At Infectious Disease Clinics Building (2nd & 3rdFloor) - Air-Conditioning Unit, Split Type (Wall Mounted), 2.5HP At Hospital Building: ED Trauma Room - Air-Conditioning Unit, Split Type (Wall Mounted), 2.0HP At Hospital Building: Department of Pathology and Laboratory - Air-Conditioning Unit, Split Type (Wall Mounted), 2.5HP At Hospital Building: Admitting Section - Air-Conditioning Unit, Split Type (Wall Mounted), 2.0HP - Air-Conditioning Unit, Split Type (Wall Mounted), 3.0HP At Hospital Building: Radiology Department - Air-Conditioning Unit, Split Type (Ceiling Mounted), 3.0TR At Hospital Building: OPD Main - Air-Conditioning Unit, Split Type (Wall Type), 2.5HP At Hospital Building: OPD Head
---	---

	<p>- Air-Conditioning Unit, Window Type, 2.5HP At Hospital Building: OPD Derma</p> <p>- Air-Conditioning Unit, Split Type (Wall Mounted), 2.5HP At Hospital Main Building: OPD Records</p> <p>- Air-Conditioning Unit, Window Type, 2.5HP At Hospital Main Building: CSR</p> <p>- Air-Conditioning Unit, Split Type (Wall Mounted), 2.5HP At Hospital Building: Dental Section</p> <p>- Air-Conditioning Unit, Split Type (Wall Mounted), 2.5HP At Hospital Building: Heart Station</p> <p>- Air-Conditioning Unit, Window Type, 1.5HP At Hospital Building: NDS Stock Room</p> <p>- Air-Conditioning Unit, Split Type (Wall Mounted), 2.5HP At Hospital Building: Billing Section</p> <p>- Air-Conditioning Unit, Window Type, 1.5HP At Hospital Building: HIMD Extension</p> <p>- Air-Conditioning Unit, Split Type (Wall Mounted), 3.0HP At Hospital Building: OR Department - OR3</p> <p>- Air-Conditioning Unit, Split Type (Cabinet Type), 3.0TR At Hospital Building: Conference Room</p> <p>- Air-Conditioning Unit, Split Type (Cabinet Type), 3.0TR At Hospital Building: Conference Room</p>
--	---

	<p>- Air-Conditioning Unit, Split Type (Wall Mounted), 2.0HP At Hospital Main Building: Department Offices (4 units)</p> <p>- Air-Conditioning Unit, Split Type (Wall Mounted), 2.5HP At Hospital Main Building: CMPS</p> <p>- Air-Conditioning Unit, Split Type (Wall Mounted), 1.5HP At Administrative Building: HRMO, Budget, Accounting (3 units)</p> <p>All Air-Conditioning Units are Inverter Type</p>
3. Technical Specification	- See Annex A
4. Installation Schedule	- Installation Schedule: Monday to Friday or per coordination
5. Installation Period	- Forty-Five (45) calendar days upon receipt of Notice Proceed (NTP)
6. Warranty	- See Annex B
7. Maintenance	- Twice (2) within one (1) year / semi-annually
8. General Notes	- See Annex C
9. Other requirements	- See Annex D

Prepared by:	Checked by:	Noted by:
JOY M. LARIOS	Engr. GERARDO E. LINGAT	Engr. ZORAIDA S. CUADRA
Medical Equipment Technician III	Engineer III	Engineer IV
Engineering and Facilities Management Section		

ANNEX A

Air-Conditioning Unit, Split Type (Wall Mounted), 1.0HP, Inverter Type

Features	Specification	
Fan Coil Application Type	Wall Mounted	
Cooling Capacity (minimum)	9,140 kJ/h	
Energy Efficient Ratio (minimum)	13.20 kJ / W-hr	
Features	Unit	Specification
Power Supply	V	220 – 240, 60Hz (will work with Philippine electrical system)
Phase	Ø	Single
System Power Input, max	W	1,000
Sound Pressure Level (indoor), max	db(A)	36
Compressor Type		Scroll/Rotary
Refrigerant		R410 / R32
Controls		Wireless remote control with built-in timer, temperature control
Air Filter		Washable
Condense air discharge		Horizontal (floor air discharge)
ACCU Fan type		Propeller
ACCU Fan Motor		Total enclosed
Service valves		Suction & liquid lines
Safety controls		High & low pressure controls

Air-Conditioning Unit, Window Type, 1.5HP, Inverter Type

Features	Specification	
Fan Coil Application Type	Window Type	
Cooling Capacity (minimum)	12,000 kJ/h	
Energy Efficient Ratio (minimum)	11.20 kJ / W-hr	
Features	Unit	Specification
Power Supply	V	220 – 240, 60Hz (will work with Philippine electrical system)
Phase	Ø	Single
System Power Input, max	W	1,300
Sound Pressure Level (indoor), max	db(A)	48
Compressor Type		Scroll/Rotary
Refrigerant		R410 / R32
Controls		Wireless remote control with built-in timer, temperature control
Air Filter		Washable

Air-Conditioning Unit, Split Type (Wall Mounted), 1.5HP, Inverter Type

Features	Specification	
Fan Coil Application Type	Wall Mounted	
Cooling Capacity (minimum)	12,600 kJ/h	
Energy Efficient Ratio (minimum)	13.0 kJ / W-hr	
Features	Unit	Specification
Power Supply	V	220 – 240, 60Hz (will work with Philippine electrical system)
Phase	Ø	Single
System Power Input, max	W	1,330 W
Sound Pressure Level (indoor), max	db(A)	40
Compressor Type		Scroll/Rotary
Refrigerant		R410 / R32
Controls		Wireless remote control with built-in timer, temperature control
Air Filter		Washable
Condense air discharge		Horizontal (floor air discharge)
ACCU Fan type		Propeller
ACCU Fan Motor		Total enclosed
Service valves		Suction & liquid lines
Safety controls		High & low pressure controls

Air-Conditioning Unit, Split Type (Wall Mounted), 2.0HP, Inverter Type

Features	Specification	
Fan Coil Application Type	Wall Mounted	
Cooling Capacity (minimum)	18,000 kJ/h	
Energy Efficient Ratio (minimum)	12.0 kJ / W-hr	
Features	Unit	Specification
Power Supply	V	220 – 240, 60Hz (will work with Philippine electrical system)
Phase	Ø	Single
System Power Input, max	W	1700 W
Sound Pressure Level (indoor), max	db(A)	44
Compressor Type		Scroll/Rotary
Refrigerant		R410 / R32
Controls		Wireless remote control with built-in timer, temperature control
Air Filter		Washable
Condense air discharge		Horizontal (floor air discharge)
ACCU Fan type		Propeller
ACCU Fan Motor		Total enclosed
Service valves		Suction & liquid lines
Safety controls		High & low pressure controls

Air-Conditioning Unit, Split Type (Wall Mounted), 2.5HP, Inverter Type

Features	Specification	
Fan Coil Application Type	Wall Mounted	
Cooling Capacity (minimum)	21,960 kJ/h	
Energy Efficient Ratio (minimum)	12.20 kJ / W-hr	
Features	Unit	Specification
Power Supply	V	220 – 240, 60Hz (will work with Philippine electrical system)
Phase	Ø	Single
System Power Input, max	W	2,100 W
Sound Pressure Level (indoor), max	db(A)	45
Compressor Type		Scroll/Rotary
Refrigerant		R410 / R32
Controls		Wireless remote control with built-in timer, temperature control
Air Filter		Washable
Condense air discharge		Horizontal (flor air discharge)
ACCU Fan type		Propeller
ACCU Fan Motor		Total enclosed
Service valves		Suction & liquid lines
Safety controls		High & low pressure controls

Air-Conditioning Unit, Window Type, 2.5HP, Inverter Type

Features	Specification	
Fan Coil Application Type	Window Type	
Cooling Capacity (minimum)	23,400 kJ/h	
Energy Efficient Ratio (minimum)	11.7 kJ / W-hr	
Features	Unit	Specification
Power Supply	V	220 – 240, 60Hz (will work with Philippine electrical system)
Phase	Ø	Single
System Power Input, max	W	2010 W
Sound Pressure Level (indoor), max	db(A)	57
Compressor Type		Scroll/Rotary
Refrigerant		R410 / R32
Controls		Wireless remote control with built-in timer, temperature control
Air Filter		Washable

Air-Conditioning Unit, Split Type (Cabinet Type), 3.0TR, Inverter Type

Features	Specification	
Fan Coil Application Type	Cabinet Type	
Cooling Capacity (minimum)	38,000 kJ/h	
Energy Efficient Ratio (minimum)	12.00 kJ / W-hr	
Features	Unit	Specification
Power Supply	V	220 – 240, 60Hz (will work with Philippine electrical system)
Phase	Ø	Single
System Power Input, max	W	3,200 W
Sound Pressure Level (indoor), max	db(A)	51
Compressor Type		Scroll/Rotary
Refrigerant		R410 / R32
Controls		Wireless remote control with built-in timer, temperature control
Air Filter		Washable
Condense air discharge		Horizontal (flor air discharge)
ACCU Fan type		Propeller
ACCU Fan Motor		Total enclosed
Service valves		Suction & liquid lines
Safety controls		High & low pressure controls

Air-Conditioning Unit, Split Type (Ceiling Mounted), 3.0TR, Inverter Type

Features	Specification	
Fan Coil Application Type	Ceiling Mounted	
Cooling Capacity (minimum)	35,000 kJ/h	
Energy Efficient Ratio (minimum)	11.50 kJ / W-hr	
Features	Unit	Specification
Power Supply	V	220 – 240, 60Hz (will work with Philippine electrical system)
Phase	Ø	Single
System Power Input, max	W	3,030 W
Sound Pressure Level (indoor), max	db(A)	47
Compressor Type		Scroll/Rotary
Refrigerant		R410 / R32
Controls		Wireless remote control with built-in timer, temperature control
Air Filter		Washable
Condense air discharge		Horizontal (flor air discharge)
ACCU Fan type		Propeller
ACCU Fan Motor		Total enclosed
Service valves		Suction & liquid lines
Safety controls		High & low pressure controls

ANNEX B

I. GENERAL NOTES

Piping, Electrical and Accessories

- a. Refrigerant piping preferably TYPE-L, hard drawn seamless copper using the standard pipe size recommended by the manufacturer;
- b. All piping shall be leak tested with pressure of at least 1.5 times the designated working pressure;
- c. Copper Elbow – long radius, wrap refrigerant pipes with polyethylene tape;
- d. Provide NEMA Type, UL listed bolt-on circuit breakers for FCU / ACCU;
- e. Use PVC or liquid tight flexible conduit for electrical pipes, use PVC or liquid tight fitting connections and stranded THWN/THHN wires feeder lines,;
- f. Use color blue, schedule 40 PVC pipe for drain lines using the appropriate size recommended by the manufacturer, but not less than 1 inch in diameter;
- g. Re-use / Rehab condensate drain lines, and replace if necessary.

Labor (Transportation, mobilization and demobilization, field allowance, and other incidental expenses)

- a. The work shall include the furnishing of equipment, materials, tools, scaffoldings, transportation, labor supervision, and other services required to install, complete, test and make the installed air-conditioning units operational as indicated. It also involved the dismantling and turnover of existing air-conditioning units to VMC – Engineering and Facilities Management Section (EFMS).

Materials (copper piping installation and insulations, welding job and other incidental material/s)

- a. To supply and install the manufacturer's refrigerant piping system including necessary insulation, hangers and supports.

Maintenance and Support

- a. During the warranty period, the winning bidder shall provide highly technical personnel to service all the air-conditioning units; including its compressor, components/peripherals whenever hardware and/or any related problem occur;
- b. Winning supplier must have a local service center;
- c. On call support should be available every working day;
- d. On hardware repair, testing shall be done on-site to know the extent of the problem;
- e. The winning bidder must shoulder all expenses of the technician/s who will be providing the technical services on-site during the warranty period.

Testing and Commissioning

- a. Refrigerant pipes should be leak tested using nitrogen gas for a minimum of 24 hrs. at 50% more than the operating pressure (1.5 x the operating pressure) but not to exceed 600 psig prior to opening of service valves;
- b. Dehydration of system using suitable vacuum pump should be done at a minimum of 2 hours;

- c. During the start-up of unit, conduct readings on voltage, amperage and system pressure. Reading should be within the norms prescribed by the manufacturer as indicated in the start-up form;
- d. During the testing and commissioning set the unit thermostat temperature at 22 or 23°C and conduct readings on FCU and ACCU air discharge temperature, ambient temperature, system pressure readings, unit amperage and line voltage for a minimum of 6 hours;
- e. Qualified Technician should fill up properly the startup form of every unit by showing all the readings taken during the testing and commissioning;
- f. Testing and commissioning should be done in the presence of PPA representative. Corresponding test results and start-up forms must be duly signed by a qualified technician and a VMC representative. Original copies to be transmitted to VMC.

Others

- a. Prospective ACU supplier are encourage to inspect, verify and assess the existing condition, location and details of the project;
- b. All units and parts/components to be supplied shall be brand new, clean and approved products of reputable manufacturers;
- c. All works shall conform to the provisions (latest edition) of the Philippine Mechanical and Electrical codes and other applicable laws and regulations;
- d. The winning ACU supplier is required to use appropriate equipment, hand tools and personal protective gears and equipment (gloves, rubber boots, masks, etc.) during installation, repair or maintenance activities;
- e. No existing materials shall be re-used; e.g., circuit breakers, electrical and mechanical controls, materials and component, refrigerant pipes, fittings, insulation, etc.;
- f. The ACU supplier shall provide all the necessary components or accessories, e.g., brackets, pedestals, clamps, fasteners, etc., to ensure the safe, normal and efficient operation of the installed ACU;
- g. The ACU supplier shall properly account and turn-over all dismantled / replaced materials to the Engineering and Facilities Management Section (EFMS);
- h. The ACU supplier shall exercise extreme caution and be responsible in the delivery, safe hauling/transfer of supplies, tools and equipment and/or chemicals to prevent damage to VMC properties and employees;
- i. The ACU supplier shall be liable for any harm, damage or injury that may be sustained or suffered by its own crew/workers while in the performance of their duties/job under this project;
- j. The ACU supplier shall maintain cleanliness of all workplace at all times. They shall clean the affected areas immediately after each workday;
- k. The ACU supplier is required to submit names of its worker/s who will conduct or inspect the installation. As maybe required, identification cards shall be presented;
- l. The ACU supplier or its foreman/engineer shall coordinate with the EFMS or its authorized representative to discuss the necessary preparations and work activities prior to implementation of this project;
- m. The ACU supplier shall strictly observe the VMC Security existing rules and regulations and shall be subject to the standard security policies and procedures while inside premises.

ANNEX C

1. Brochure (original or internet download) or equivalent document of the brand / model of the goods

being offered showing compliance to the technical specification

2. Manufacturer's Certification that:
 - a. The bidder is authorized to distribute / deal / resell the particular product being offered nationwide
 - b. The goods and all its accessories to be supplied are brand new, original and available nationwide
 - c. The bidder must have an authorized service center of the brand / model of the goods being offered for, but not limited to, regular precautionary maintenance nationwide
 - d. The goods to be supplied have been available in the market for a period of not less than three (3) years nationwide
 - e. The guaranty of availability of parts is 5 years
 - f. The installers of units are authorized/accredited by the dealer/manufacturer
 - g. The installation of air-conditioning units must be under the supervision of Valenzuela Medical Center - Aircon Technicians

ANNEX D

1. From time date of delivery and acceptance of the products, the winning bidder shall warrant that the products are free from defects in materials and workmanship and shall undertake repair or replacement of any part(s) or portion of the equipment without cost to the government. Warranty period shall be at least five (5) years on compressor and one (1) year on parts and service;
2. If the units are malfunctioning or inoperable, the Supplier shall provide maintenance service within seventy two (72) hours after receipt of notification at no cost to VMC.

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Quantity	Total	Delivered, Weeks/Months
	SUPPLY AND DELIVERY OF IT EQUIPMENT WITH PERIPHERALS AND AIR-CONDITIONING UNIT INCLUDING INSTALLATION			
1	DESKTOP PC (P 60,000.00 per unit)	48 units	2,880,000.00	30 Calendar Days upon receipt of NTP
2	NOTEBOOK (LAPTOP) (P 70,000.00 per unit)	7 units	490,000.00	
3	NOTEBOOK (LAPTOP) (P 80,000.00 per unit)	2 units	160,000.00	
4	NOTEBOOK (LAPTOP) (P 100,000.00 per unit)	1 unit	100,000.00	
5	NOTEBOOK (LAPTOP) (P 55,000.00 per unit)	10 units	550,000.00	
	NETWORK SWITCH			
6	24 Port Gigabit Switch (P 20,000.00)	2 units	40,000.00	
7	16 Port Gigabit Switch (P 10,00.00)	2 units	20,000.00	
8	8 Port Desktop Switch (P 2,000.00)	4 units	8,000.00	
	POWER OVER ETHERNET (POE) Switch			
9	16 Port POE Switch (P 25,000.00)	1 unit	25,000.00	
10	8 Port POE Switch (P 12,000.00)	2 unit	24,000.00	
11	Access Point (P 15,000.00)	14 units	210,000.00	

12	Network Cabling 14 nodes/port (P 8,500.00)	14 nodes/port	119,000.00	
13	Smart TV 55" (P 39,000.00)	1 unit	39,000.00	
		TOTAL:	4,665,000.00	
1	AIR-CONDITIONING UNITS Supply and Delivery, Installation, Testing and Commissioning of Inverter Air- Conditioning Units, complete with standard accessories as per manufacturer's standard for the VMC - Main Hospital, Infectious, Disease Clinics and Administrative Building	1 lot	2,938,946.59	45 Calendar Days upon receipt of NTP
		GRAND TOTAL:	7,603,946.59	

Section VII. Technical Specifications

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words “*or at least equivalent.*” References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications

TECHNICAL SPECIFICATIONS			
<i>Item / Service</i>	<i>Maximum Quantity</i>	<i>Technical Specifications / Scope of Work</i>	<i>Statement of Compliance</i>
		SUPPLY AND DELIVERY OF IT EQUIPMENT WITH PERIPHERALS AND AIR-CONDITIONING UNIT INCLUDING INSTALLATION	<p><i>[Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution.]</i></p>
1	48 units	DESKTOP PC <i>(P 60,000.00 per unit)</i>	
2	7 units	NOTEBOOK (LAPTOP) <i>(P 70,000.00 per unit)</i>	
3	2 units	NOTEBOOK (LAPTOP) <i>(P 80,000.00 per unit)</i>	
4	1 unit	NOTEBOOK (LAPTOP) <i>(P 100,000.00 per unit)</i>	
5	10 units	NOTEBOOK (LAPTOP) <i>(P 55,000.00 per unit)</i>	
6	2 units	NETWORK SWITCH 24 Port Gigabit Switch <i>(P 20,000.00 per unit)</i>	
7	2 units	16 Port Gigabit Switch <i>(P 10,00.00 per unit)</i>	
8	4 units	8 Port Desktop Switch <i>(P 2,000.00 per unit)</i>	
9	1 unit	POWER OVER ETHERNET (POE) Switch 16 Port POE Switch <i>(P 25,000.00 per unit)</i>	

10	2 units	8 Port POE Switch (P 12,000.00 per unit)
11	14 units	Access Point (P 15,000.00 per unit)
12	14 nodes/port	Network Cabling 14 nodes/port (P 8,500.00 per node/port)
13	1 unit	Smart TV 55" (P 39,000.00 per unit)
1	1 lot (P 2,938,946.59)	AIR-CONDITIONING UNITS Supply and Delivery, Installation, Testing and Commissioning of Inverter Air-Conditioning Units, complete with standard accessories as per manufacturer's standard for the VMC - Main Hospital, Infectious, Disease Clinics and Administrative Building
TOTAL: 7,603,946.59		

TERMS OF REFERENCE (For Air-Conditioning Units)

A. Name and Description of the Project:

One (1) lot – Supply and Delivery, Installation, Testing and Commissioning of Air-Conditioning Units, complete with standard accessories as per manufacturer’s standard for Valenzuela Medical Center – Hospital Building, Infectious Disease Clinics Building and Administrative Building.

B. Objectives of the Project:

1. To properly ventilate the area
2. To provide occupants a comfortable environment with good indoor air quality

C. Scope of the Project and Delivery Time/Completion

Supply, Delivery and Installation Mobilization of manpower and equipment/tools

1. Supply, delivery and installation - Mobilization of manpower and equipment/tools

- Location of FCU, ACCU shall be coordinated and approved by end-user
- All units should have circuit breaker according to ACU rating in NEMA3R Enclosure (Galvanized powder coated finish, gauge 16, compatible for 1 to 3 poles, not top entry)
- Complete installation, hardware and accessories to all units
- Installation, Testing and Commissioning
- Dismantling of existing unit if present
- Rehabilitation, cleaning-up works and demobilization

2. Air-Conditioning Units & Location

- Air-Conditioning Unit, Split Type (Wall Mounted), 1.0HP (2 units)
 - Air-Conditioning Unit, Split Type (Wall Mounted), 2.5HP (2 units)
 - Air-Conditioning Unit, Split Type (Cabinet Type), 3.0TR At Infectious Disease Clinics Building (2nd & 3rd Floor)
 - Air-Conditioning Unit, Split Type (Wall Mounted), 2.5HP At Hospital Building: ED Trauma Room
 - Air-Conditioning Unit, Split Type (Wall Mounted), 2.0HP
- At Hospital Building: Department of Pathology and Laboratory
- Air-Conditioning Unit, Split Type (Wall Mounted), 2.5HP At Hospital Building: Admitting Section
 - Air-Conditioning Unit, Split Type (Wall Mounted), 2.0HP
 - Air-Conditioning Unit, Split Type (Wall Mounted), 3.0HP At Hospital Building: Radiology Department
 - Air-Conditioning Unit, Split Type (Ceiling Mounted), 3.0TR At Hospital Building: OPD Main
 - Air-Conditioning Unit, Split Type (Wall Type), 2.5HP At Hospital Building: OPD Head
 - Air-Conditioning Unit, Window Type, 2.5HP At Hospital Building: OPD Derma
 - Air-Conditioning Unit, Split Type (Wall Mounted), 2.5HP At Hospital Main Building: OPD Records
 - Air-Conditioning Unit, Window Type, 2.5HP At Hospital Main Building: CSR

- Air-Conditioning Unit, Split Type (Wall Mounted), 2.5HP At Hospital Building: Dental Section
 - Air-Conditioning Unit, Split Type (Wall Mounted), 2.5HP At Hospital Building: Heart Station
 - Air-Conditioning Unit, Window Type, 1.5HP At Hospital Building: NDS Stock Room
 - Air-Conditioning Unit, Split Type (Wall Mounted), 2.5HP At Hospital Building: Billing Section
 - Air-Conditioning Unit, Window Type, 1.5HP At Hospital Building: HIMD Extension
 - Air-Conditioning Unit, Split Type (Wall Mounted), 3.0HP At Hospital Building: OR Department - OR3
 - Air-Conditioning Unit, Split Type (Cabinet Type), 3.0TR At Hospital Building: Conference Room
 - Air-Conditioning Unit, Split Type (Cabinet Type), 3.0TR At Hospital Building: Conference Room
 - Air-Conditioning Unit, Split Type (Wall Mounted), 2.0HP At Hospital Main Building: Department Offices (4 units)
 - Air-Conditioning Unit, Split Type (Wall Mounted), 2.5HP At Hospital Main Building: CMPS
 - Air-Conditioning Unit, Split Type (Wall Mounted), 1.5HP
- At Administrative Building: HRMO, Budget, Accounting (3 units)

All Air-Conditioning Units are Inverter Type

3. Technical Specification

- See Annex A

4. Installation Schedule

- Installation Schedule: Monday to Friday or per coordination

5. Installation Period

- Forty-Five (45) calendar days upon receipt of Notice Proceed (NTP)

6. Warranty

- See Annex B

7. Maintenance

- Twice (2) within one (1) year / semi-annually

8. General Notes

- See Annex C

9. Other requirements

- See Annex D

ANNEX A

Air-Conditioning Unit, Split Type (Wall Mounted), 1.0HP, Inverter Type

Features		Specification
Fan Coil Application Type		Wall Mounted
Cooling Capacity (minimum)		9,140 kJ/h
Energy Efficient Ratio (minimum)		13.20 kJ / W-hr
Features	Unit	Specification
Power Supply	V	220 – 240, 60Hz (will work with Philippine electrical system)
Phase	Ø	Single
System Power Input, max	W	1,000
Sound Pressure Level (indoor), max	db(A)	36
Compressor Type		Scroll/Rotary
Refrigerant		R410 / R32
Controls		Wireless remote control with built-in timer, temperature control
Air Filter		Washable
Condense air discharge		Horizontal (flor air discharge)
ACCU Fan type		Propeller
ACCU Fan Motor		Total enclosed
Service valves		Suction & liquid lines
Safety controls		High & low pressure controls

“Comply” or “Not Comply”

Air-Conditioning Unit, Window Type, 1.5HP, Inverter Type

Features		Specification
Fan Coil Application Type	Window Type	
Cooling Capacity (minimum)	12,000 kJ/h	
Energy Efficient Ratio (minimum)	11.20 kJ / W-hr	
Features	Unit	Specification
Power Supply	V	220 – 240, 60Hz (will work with Philippine electrical system)
Phase	Ø	Single
System Power Input, max	W	1,300
Sound Pressure Level (indoor), max	db(A)	48
Compressor Type	Scroll/Rotary	
Refrigerant	R410 / R32	
Controls	Wireless remote control with built-in timer, temperature control	
Air Filter	Washable	

“Comply” or “Not Comply”

Air-Conditioning Unit, Split Type (Wall Mounted), 1.5HP, Inverter Type

Features		Specification
Fan Coil Application Type	Wall Mounted	
Cooling Capacity (minimum)	12,600 kJ/h	
Energy Efficient Ratio (minimum)	13.0 kJ / W-hr	
Features	Unit	Specification
Power Supply	V	220 – 240, 60Hz (will work with Philippine electrical system)
Phase	Ø	Single
System Power Input, max	W	1,330 W
Sound Pressure Level (indoor), max	db(A)	40
Compressor Type	Scroll/Rotary	
Refrigerant	R410 / R32	
Controls	Wireless remote control with built-in timer, temperature control	
Air Filter	Washable	
Condense air discharge	Horizontal (flor air discharge)	
ACCU Fan type	Propeller	
ACCU Fan Motor	Total enclosed	
Service valves	Suction & liquid lines	
Safety controls	High & low pressure controls	

“Comply” or “Not Comply”

Air-Conditioning Unit, Split Type (Wall Mounted), 2.0HP, Inverter Type

Features		Specification
Fan Coil Application Type		Wall Mounted
Cooling Capacity (minimum)		18,000 kJ/h
Energy Efficient Ratio (minimum)		12.0 kJ / W-hr
Features	Unit	Specification
Power Supply	V	220 – 240, 60Hz (will work with Philippine electrical system)
Phase	Ø	Single
System Power Input, max	W	1700 W
Sound Pressure Level (indoor), max	db(A)	44
Compressor Type		Scroll/Rotary
Refrigerant		R410 / R32
Controls		Wireless remote control with built-in timer, temperature control
Air Filter		Washable
Condense air discharge		Horizontal (flor air discharge)
ACCU Fan type		Propeller
ACCU Fan Motor		Total enclosed
Service valves		Suction & liquid lines
Safety controls		High & low pressure controls

“Comply” or “Not Comply”

Air-Conditioning Unit, Split Type (Wall Mounted), 2.5HP, Inverter Type

Features		Specification
Fan Coil Application Type		Wall Mounted
Cooling Capacity (minimum)		21,960 kJ/h
Energy Efficient Ratio (minimum)		12.20 kJ / W-hr
Features	Unit	Specification
Power Supply	V	220 – 240, 60Hz (will work with Philippine electrical system)
Phase	Ø	Single
System Power Input, max	W	2,100 W
Sound Pressure Level (indoor), max	db(A)	45
Compressor Type		Scroll/Rotary
Refrigerant		R410 / R32
Controls		Wireless remote control with built-in timer, temperature control
Air Filter		Washable
Condense air discharge		Horizontal (flor air discharge)
ACCU Fan type		Propeller
ACCU Fan Motor		Total enclosed
Service valves		Suction & liquid lines
Safety controls		High & low pressure controls

“Comply” or “Not Comply”

Air-Conditioning Unit, Window Type, 2.5HP, Inverter Type

Features		Specification
Fan Coil Application Type		Window Type
Cooling Capacity (minimum)		23,400 kJ/h
Energy Efficient Ratio (minimum)		11.7 kJ / W-hr
Features	Unit	Specification
Power Supply	V	220 – 240, 60Hz (will work with Philippine electrical system)
Phase	Ø	Single
System Power Input, max	W	2010 W
Sound Pressure Level (indoor), max	db(A)	57
Compressor Type		Scroll/Rotary
Refrigerant		R410 / R32
Controls		Wireless remote control with built-in timer, temperature control
Air Filter		Washable

“Comply” or “Not Comply”

Air-Conditioning Unit, Split Type (Cabinet Type), 3.0TR, Inverter Type

Features		Specification
Fan Coil Application Type		Cabinet Type
Cooling Capacity (minimum)		38,000 kJ/h
Energy Efficient Ratio (minimum)		12.00 kJ / W-hr
Features	Unit	Specification
Power Supply	V	220 – 240, 60Hz (will work with Philippine electrical system)
Phase	Ø	Single
System Power Input, max	W	3,200 W
Sound Pressure Level (indoor), max	db(A)	51
Compressor Type		Scroll/Rotary
Refrigerant		R410 / R32
Controls		Wireless remote control with built-in timer, temperature control
Air Filter		Washable
Condense air discharge		Horizontal (flor air discharge)
ACCU Fan type		Propeller
ACCU Fan Motor		Total enclosed
Service valves		Suction & liquid lines
Safety controls		High & low pressure controls

“Comply” or “Not Comply”

Air-Conditioning Unit, Split Type (Ceiling Mounted), 3.0TR, Inverter Type

Features		Specification
Fan Coil Application Type		Ceiling Mounted
Cooling Capacity (minimum)		35,000 kJ/h
Energy Efficient Ratio (minimum)		11.50 kJ / W-hr
Features	Unit	Specification
Power Supply	V	220 – 240, 60Hz (will work with Philippine electrical system)
Phase	Ø	Single
System Power Input, max	W	3,030 W
Sound Pressure Level (indoor), max	db(A)	47
Compressor Type		Scroll/Rotary
Refrigerant		R410 / R32
Controls		Wireless remote control with built-in timer, temperature control
Air Filter		Washable
Condense air discharge		Horizontal (floor air discharge)
ACCU Fan type		Propeller
ACCU Fan Motor		Total enclosed
Service valves		Suction & liquid lines
Safety controls		High & low pressure controls

“Comply” or “Not Comply”

ANNEX B

I. GENERAL NOTES

Piping, Electrical and Accessories

- a. Refrigerant piping preferably TYPE-L, hard drawn seamless copper using the standard pipe size recommended by the manufacturer;
- b. All piping shall be leak tested with pressure of at least 1.5 times the designated working pressure;
- c. Copper Elbow – long radius, wrap refrigerant pipes with polyethylene tape;
- d. Provide NEMA Type, UL listed bolt-on circuit breakers for FCU / ACCU;
- e. Use PVC or liquid tight flexible conduit for electrical pipes, use PVC or liquid tight fitting connections and stranded THWN/THHN wires feeder lines,;
- f. Use color blue, schedule 40 PVC pipe for drain lines using the appropriate size recommended by the manufacturer, but not less than 1 inch in diameter;
- g. Re-use / Rehab condensate drain lines, and replace if necessary.

Labor (Transportation, mobilization and demobilization, field allowance, and other incidental expenses)

- a. The work shall include the furnishing of equipment, materials, tools, scaffoldings, transportation, labor supervision, and other services required to install, complete, test and make the installed air-conditioning units operational as indicated. It also involved the dismantling and turnover of existing air-conditioning units to VMC – Engineering and Facilities Management Section (EFMS).

Materials (copper piping installation and insulations, welding job and other incidental material/s)

- a. To supply and install the manufacturer's refrigerant piping system including necessary insulation, hangers and supports.

Maintenance and Support

- a. During the warranty period, the winning bidder shall provide highly technical personnel to service all the air-conditioning units; including its compressor, components/peripherals whenever hardware and/or any related problem occur;
- b. Winning supplier must have a local service center;
- c. On call support should be available every working day;
- d. On hardware repair, testing shall be done on-site to know the extent of the problem;
- e. The winning bidder must shoulder all expenses of the technician/s who will be providing the technical services on-site during the warranty period.

Testing and Commissioning

- a. Refrigerant pipes should be leak tested using nitrogen gas for a minimum of 24 hrs. at 50% more than the operating pressure (1.5 x the operating pressure) but not to exceed 600 psig prior to opening of service valves;
- b. Dehydration of system using suitable vacuum pump should be done at a minimum of 2 hours;
- c. During the start-up of unit, conduct readings on voltage, amperage and system pressure. Reading should be within the norms prescribed by the manufacturer as indicated in the start-up form;
- d. During the testing and commissioning set the unit thermostat temperature at 22 or 23°C and conduct readings on FCU and ACCU air discharge temperature, ambient temperature, system pressure readings, unit amperage and line voltage for a minimum of 6 hours;

- e. Qualified Technician should fill up properly the startup form of every unit by showing all the readings taken during the testing and commissioning;
- f. Testing and commissioning should be done in the presence of PPA representative. Corresponding test results and start-up forms must be duly signed by a qualified technician and a VMC representative. Original copies to be transmitted to VMC.

Others

- a. Prospective ACU supplier are encourage to inspect, verify and assess the existing condition, location and details of the project;
- b. All units and parts/components to be supplied shall be brand new, clean and approved products of reputable manufacturers;
- c. All works shall conform to the provisions (latest edition) of the Philippine Mechanical and Electrical codes and other applicable laws and regulations;
- d. The winning ACU supplier is required to use appropriate equipment, hand tools and personal protective gears and equipment (gloves, rubber boots, masks, etc.) during installation, repair or maintenance activities;
- e. No existing materials shall be re-used; e.g., circuit breakers, electrical and mechanical controls, materials and component, refrigerant pipes, fittings, insulation, etc.;
- f. The ACU supplier shall provide all the necessary components or accessories, e.g., brackets, pedestals, clamps, fasteners, etc., to ensure the safe, normal and efficient operation of the installed ACU;
- g. The ACU supplier shall properly account and turn-over all dismantled / replaced materials to the Engineering and Facilities Management Section (EFMS);
- h. The ACU supplier shall exercise extreme caution and be responsible in the delivery, safe hauling/transfer of supplies, tools and equipment and/or chemicals to prevent damage to VMC properties and employees;
- i. The ACU supplier shall be liable for any harm, damage or injury that may be sustained or suffered by its own crew/workers while in the performance of their duties/job under this project;
- j. The ACU supplier shall maintain cleanliness of all workplace at all times. They shall clean the affected areas immediately after each workday;
- k. The ACU supplier is required to submit names of its worker/s who will conduct or inspect the installation.

As maybe required, identification cards shall be presented;

l. The ACU supplier or its foreman/engineer shall coordinate with the EFMS or its authorized representative to discuss the necessary preparations and work activities prior to implementation of this project;

m. The ACU supplier shall strictly observe the VMC Security existing rules and regulations and shall be subject to the standard security policies and procedure while inside premises.

ANNEX C

1. Brochure (original or internet download) or equivalent document of the brand / model of the goods being offered showing compliance to the technical specification
2. Manufacturer's Certification that:
 - a. The bidder is authorized to distribute / deal / resell the particular product being offered nationwide
 - b. The goods and all its accessories to be supplied are brand new, original and available nationwide
 - c. The bidder must have an authorized service center of the brand / model of the goods being offered for, but not limited to, regular precautionary maintenance nationwide
 - d. The goods to be supplied have been available in the market for a period of not less than three (3) years nationwide
 - e. The guaranty of availability of parts is 5 years
 - f. The installers of units are authorized/accredited by the dealer/manufacturer
 - g. The installation of air-conditioning units must be under the supervision of Valenzuela Medical Center - Aircon Technicians

ANNEX D

1. From time date of delivery and acceptance of the products, the winning bidder shall warrant that the products are free from defects in materials and workmanship and shall undertake repair or replacement of any part(s) or portion of the equipment without cost to the government. Warranty period shall be at least five (5) years on compressor and one (1) year on parts and service;
2. If the units are malfunctioning or inoperable, the Supplier shall provide maintenance service within seventy two (72) hours after receipt of notification at no cost to VMC.

IT EQUIPMENT WITH PERIPHERALS																	
<table border="1"> <tr> <td>DESKTOP PC (48 units)</td> </tr> <tr> <td>Processor: Intel Core i5 11th Gen</td> </tr> <tr> <td>Memory: 8GB DDR4</td> </tr> <tr> <td>SDD/HDD: 512GB SSD</td> </tr> <tr> <td>Graphics: 2GB Dedicated Graphics</td> </tr> <tr> <td>Display: 24" 75Hz, 1080p, VGA HDMI</td> </tr> <tr> <td>Audio: Integrated high definition sound</td> </tr> <tr> <td>Network: Gigabit Ethernet 10/100/1000</td> </tr> <tr> <td>Operating System: Windows 10 Pro</td> </tr> <tr> <td>UPS: 700VA line interactive with built in AVR</td> </tr> <tr> <td>with USB keyboard and Mouse</td> </tr> <tr> <td>Additional:</td> </tr> <tr> <td>Headset: USB Computer headset/Digital Stereo Sound/Noise Canceling Mic/In-Line Control (adjust volume or mute calls) Padded headband and ear cups</td> </tr> <tr> <td>Speaker: USB Powered speaker 6watts (3W x 2)</td> </tr> <tr> <td>WebCam: Resolution 1080p/30fps - 720/60fps Focus Type: Autofocus lens Type: Glass Built-in mic: Stereo Diagonal field of view (dFoV):78" tripod-ready universal mounting clip fits laptops, LCD or monitors</td> </tr> <tr> <td>Warranty: Three (3) Years on Parts and Labor (3-3-0)</td> </tr> </table>	DESKTOP PC (48 units)	Processor: Intel Core i5 11th Gen	Memory: 8GB DDR4	SDD/HDD: 512GB SSD	Graphics: 2GB Dedicated Graphics	Display: 24" 75Hz, 1080p, VGA HDMI	Audio: Integrated high definition sound	Network: Gigabit Ethernet 10/100/1000	Operating System: Windows 10 Pro	UPS: 700VA line interactive with built in AVR	with USB keyboard and Mouse	Additional:	Headset: USB Computer headset/Digital Stereo Sound/Noise Canceling Mic/In-Line Control (adjust volume or mute calls) Padded headband and ear cups	Speaker: USB Powered speaker 6watts (3W x 2)	WebCam: Resolution 1080p/30fps - 720/60fps Focus Type: Autofocus lens Type: Glass Built-in mic: Stereo Diagonal field of view (dFoV):78" tripod-ready universal mounting clip fits laptops, LCD or monitors	Warranty: Three (3) Years on Parts and Labor (3-3-0)	
DESKTOP PC (48 units)																	
Processor: Intel Core i5 11th Gen																	
Memory: 8GB DDR4																	
SDD/HDD: 512GB SSD																	
Graphics: 2GB Dedicated Graphics																	
Display: 24" 75Hz, 1080p, VGA HDMI																	
Audio: Integrated high definition sound																	
Network: Gigabit Ethernet 10/100/1000																	
Operating System: Windows 10 Pro																	
UPS: 700VA line interactive with built in AVR																	
with USB keyboard and Mouse																	
Additional:																	
Headset: USB Computer headset/Digital Stereo Sound/Noise Canceling Mic/In-Line Control (adjust volume or mute calls) Padded headband and ear cups																	
Speaker: USB Powered speaker 6watts (3W x 2)																	
WebCam: Resolution 1080p/30fps - 720/60fps Focus Type: Autofocus lens Type: Glass Built-in mic: Stereo Diagonal field of view (dFoV):78" tripod-ready universal mounting clip fits laptops, LCD or monitors																	
Warranty: Three (3) Years on Parts and Labor (3-3-0)																	
<table border="1"> <tr> <td>NOTEBOOK (LAPTOP) – (7 units)</td> </tr> <tr> <td>Processor: Intel Core i7 12th Gen</td> </tr> <tr> <td>Memory: 16GB DDR4</td> </tr> <tr> <td>SDD/HDD: 1 TB SSD</td> </tr> <tr> <td>Graphics: 2GB Dedicated GDDR6</td> </tr> <tr> <td>Display: 15.6", FHD (1920x1080), IPS</td> </tr> <tr> <td>Connectivity: WLAN-MediaTek Wi-Fi 6 MT7921 (2x2), Bluetooth 5.2 Combo, Supporting Gigabit Data Rate</td> </tr> <tr> <td>WebCam: 720p (1280 x 720 resolution)</td> </tr> <tr> <td>Operating System: Windows 10/11 Pro</td> </tr> <tr> <td>Accessories: with Laptop Bag and wireless mouse</td> </tr> <tr> <td>Additional:</td> </tr> <tr> <td>Headset: USB Computer headset/Digital Stereo Sound/Noise Canceling Mic/In-Line Control (adjust volume or mute calls) Padded headband and ear cups</td> </tr> <tr> <td>Warranty: Three (3) Years on Parts and Labor (3-3-0)</td> </tr> </table>	NOTEBOOK (LAPTOP) – (7 units)	Processor: Intel Core i7 12th Gen	Memory: 16GB DDR4	SDD/HDD: 1 TB SSD	Graphics: 2GB Dedicated GDDR6	Display: 15.6", FHD (1920x1080), IPS	Connectivity: WLAN-MediaTek Wi-Fi 6 MT7921 (2x2), Bluetooth 5.2 Combo, Supporting Gigabit Data Rate	WebCam: 720p (1280 x 720 resolution)	Operating System: Windows 10/11 Pro	Accessories: with Laptop Bag and wireless mouse	Additional:	Headset: USB Computer headset/Digital Stereo Sound/Noise Canceling Mic/In-Line Control (adjust volume or mute calls) Padded headband and ear cups	Warranty: Three (3) Years on Parts and Labor (3-3-0)				
NOTEBOOK (LAPTOP) – (7 units)																	
Processor: Intel Core i7 12th Gen																	
Memory: 16GB DDR4																	
SDD/HDD: 1 TB SSD																	
Graphics: 2GB Dedicated GDDR6																	
Display: 15.6", FHD (1920x1080), IPS																	
Connectivity: WLAN-MediaTek Wi-Fi 6 MT7921 (2x2), Bluetooth 5.2 Combo, Supporting Gigabit Data Rate																	
WebCam: 720p (1280 x 720 resolution)																	
Operating System: Windows 10/11 Pro																	
Accessories: with Laptop Bag and wireless mouse																	
Additional:																	
Headset: USB Computer headset/Digital Stereo Sound/Noise Canceling Mic/In-Line Control (adjust volume or mute calls) Padded headband and ear cups																	
Warranty: Three (3) Years on Parts and Labor (3-3-0)																	

<table border="1"> <tr> <td>Notebook (Laptop) – (2 units)</td> </tr> <tr> <td>Processor: Intel Core i7 11th Gen</td> </tr> <tr> <td>Memory: 16GB DDR4</td> </tr> <tr> <td>SDD/HDD: 512 SSD</td> </tr> <tr> <td>Graphics: 4GB Dedicated GDDR6 graphics</td> </tr> <tr> <td>Display: 16.1", FHD (1920x1080), IPS 144 Hz</td> </tr> <tr> <td>Connectivity: WLAN-Intel Wi-Fi Certified 6 AX201 (2x2), Bluetooth 5 Combo, Supporting Gigabit Data Rate, MU-MIMO supported</td> </tr> <tr> <td>WebCam: 720p (1280 x 720 resolution)</td> </tr> <tr> <td>Operating System: Windows 10/11 Pro</td> </tr> <tr> <td>Accessories: with Laptop Bag and wireless mouse</td> </tr> <tr> <td>Additional:</td> </tr> <tr> <td>Headset: USB Computer headset/Digital Stereo Sound/Noise Canceling Mic/In-Line Control (adjust volume or mute calls) Padded headband and ear cups</td> </tr> <tr> <td>Warranty: Three (3) Years on Parts and Labor (3-3-0)</td> </tr> </table>	Notebook (Laptop) – (2 units)	Processor: Intel Core i7 11th Gen	Memory: 16GB DDR4	SDD/HDD: 512 SSD	Graphics: 4GB Dedicated GDDR6 graphics	Display: 16.1", FHD (1920x1080), IPS 144 Hz	Connectivity: WLAN-Intel Wi-Fi Certified 6 AX201 (2x2), Bluetooth 5 Combo, Supporting Gigabit Data Rate, MU-MIMO supported	WebCam: 720p (1280 x 720 resolution)	Operating System: Windows 10/11 Pro	Accessories: with Laptop Bag and wireless mouse	Additional:	Headset: USB Computer headset/Digital Stereo Sound/Noise Canceling Mic/In-Line Control (adjust volume or mute calls) Padded headband and ear cups	Warranty: Three (3) Years on Parts and Labor (3-3-0)	
Notebook (Laptop) – (2 units)														
Processor: Intel Core i7 11th Gen														
Memory: 16GB DDR4														
SDD/HDD: 512 SSD														
Graphics: 4GB Dedicated GDDR6 graphics														
Display: 16.1", FHD (1920x1080), IPS 144 Hz														
Connectivity: WLAN-Intel Wi-Fi Certified 6 AX201 (2x2), Bluetooth 5 Combo, Supporting Gigabit Data Rate, MU-MIMO supported														
WebCam: 720p (1280 x 720 resolution)														
Operating System: Windows 10/11 Pro														
Accessories: with Laptop Bag and wireless mouse														
Additional:														
Headset: USB Computer headset/Digital Stereo Sound/Noise Canceling Mic/In-Line Control (adjust volume or mute calls) Padded headband and ear cups														
Warranty: Three (3) Years on Parts and Labor (3-3-0)														
<table border="1"> <tr> <td>NOTEBOOK (LAPTOP) – 1 unit</td> </tr> <tr> <td>Processor: Intel Core i7 11th Gen</td> </tr> <tr> <td>Memory: 16GB DDR4</td> </tr> <tr> <td>SDD/HDD: 1 TB SSD</td> </tr> <tr> <td>Graphics: 6GB Dedicated GDDR6 graphics</td> </tr> <tr> <td>Display: 15.6", FHD (1920x1080), IPS 165 Hz</td> </tr> <tr> <td>Connectivity: WLAN - 802.11 a/b/g/n+acR2+ax, Dual Band (2.4GHz and 5 GHz), 2x2 MU-MIMO Technology, Support Bluetooth 5.1 LAN - 10/100/1000 Mbps, Hibernation Mode support, Wake On Lan Support, IPv4 and IPv6 support</td> </tr> <tr> <td>WebCam: 720p (1280 x 720 resolution)</td> </tr> <tr> <td>Operating System: Windows 10/11 Pro</td> </tr> <tr> <td>Accessories: with Laptop Bag and wireless mouse</td> </tr> <tr> <td>Additional:</td> </tr> <tr> <td>Headset: USB Computer headset/Digital Stereo Sound/Noise Canceling Mic/In-Line Control (adjust volume or mute calls) Padded headband and ear cups</td> </tr> <tr> <td>Warranty: Three (3) Years on Parts and Labor (3-3-0)</td> </tr> </table>	NOTEBOOK (LAPTOP) – 1 unit	Processor: Intel Core i7 11th Gen	Memory: 16GB DDR4	SDD/HDD: 1 TB SSD	Graphics: 6GB Dedicated GDDR6 graphics	Display: 15.6", FHD (1920x1080), IPS 165 Hz	Connectivity: WLAN - 802.11 a/b/g/n+acR2+ax, Dual Band (2.4GHz and 5 GHz), 2x2 MU-MIMO Technology, Support Bluetooth 5.1 LAN - 10/100/1000 Mbps, Hibernation Mode support, Wake On Lan Support, IPv4 and IPv6 support	WebCam: 720p (1280 x 720 resolution)	Operating System: Windows 10/11 Pro	Accessories: with Laptop Bag and wireless mouse	Additional:	Headset: USB Computer headset/Digital Stereo Sound/Noise Canceling Mic/In-Line Control (adjust volume or mute calls) Padded headband and ear cups	Warranty: Three (3) Years on Parts and Labor (3-3-0)	
NOTEBOOK (LAPTOP) – 1 unit														
Processor: Intel Core i7 11th Gen														
Memory: 16GB DDR4														
SDD/HDD: 1 TB SSD														
Graphics: 6GB Dedicated GDDR6 graphics														
Display: 15.6", FHD (1920x1080), IPS 165 Hz														
Connectivity: WLAN - 802.11 a/b/g/n+acR2+ax, Dual Band (2.4GHz and 5 GHz), 2x2 MU-MIMO Technology, Support Bluetooth 5.1 LAN - 10/100/1000 Mbps, Hibernation Mode support, Wake On Lan Support, IPv4 and IPv6 support														
WebCam: 720p (1280 x 720 resolution)														
Operating System: Windows 10/11 Pro														
Accessories: with Laptop Bag and wireless mouse														
Additional:														
Headset: USB Computer headset/Digital Stereo Sound/Noise Canceling Mic/In-Line Control (adjust volume or mute calls) Padded headband and ear cups														
Warranty: Three (3) Years on Parts and Labor (3-3-0)														

<table border="1"> <tr> <td>NOTEBOOK (LAPTOP) – 10 units</td> </tr> <tr> <td>Processor: Intel Core i5 11th Gen</td> </tr> <tr> <td>Memory: 16GB DDR4</td> </tr> <tr> <td>SDD/HDD: 512GB Pcle NVMe SSD</td> </tr> <tr> <td>Graphics: Intel Iris X Graphics</td> </tr> <tr> <td>Display: 14", FHD (1920x1080), IPS</td> </tr> <tr> <td>WebCam: 720p (1280 x 720 resolution)</td> </tr> <tr> <td>Operating System: Windows 10 Pro</td> </tr> <tr> <td>Accessories: with Laptop Bag</td> </tr> <tr> <td>Additional:</td> </tr> <tr> <td>Headset: USB Computer headset/Digital Stereo Sound/Noise Canceling Mic/In-Line Controld (adjust volume or mute calls) Padded headband and ear cups</td> </tr> <tr> <td>Warranty: Three (3) Years on Parts and Labor (3-3-0)</td> </tr> </table>	NOTEBOOK (LAPTOP) – 10 units	Processor: Intel Core i5 11th Gen	Memory: 16GB DDR4	SDD/HDD: 512GB Pcle NVMe SSD	Graphics: Intel Iris X Graphics	Display: 14", FHD (1920x1080), IPS	WebCam: 720p (1280 x 720 resolution)	Operating System: Windows 10 Pro	Accessories: with Laptop Bag	Additional:	Headset: USB Computer headset/Digital Stereo Sound/Noise Canceling Mic/In-Line Controld (adjust volume or mute calls) Padded headband and ear cups	Warranty: Three (3) Years on Parts and Labor (3-3-0)													
NOTEBOOK (LAPTOP) – 10 units																									
Processor: Intel Core i5 11th Gen																									
Memory: 16GB DDR4																									
SDD/HDD: 512GB Pcle NVMe SSD																									
Graphics: Intel Iris X Graphics																									
Display: 14", FHD (1920x1080), IPS																									
WebCam: 720p (1280 x 720 resolution)																									
Operating System: Windows 10 Pro																									
Accessories: with Laptop Bag																									
Additional:																									
Headset: USB Computer headset/Digital Stereo Sound/Noise Canceling Mic/In-Line Controld (adjust volume or mute calls) Padded headband and ear cups																									
Warranty: Three (3) Years on Parts and Labor (3-3-0)																									
<table border="1"> <tr> <td>NETWORK SWITCH</td> </tr> <tr> <td>24 Port Gigabit Switch – 2 units</td> </tr> <tr> <td>16 Port Gigabit Switch – 2 units</td> </tr> <tr> <td>8 Port Desktop Switch – 4 units</td> </tr> <tr> <td>Warranty: One (1) year on parts and labor (1-1-0)</td> </tr> </table> <table border="1"> <tr> <td>POWER OVER ETHERNET (POE) Switch</td> </tr> <tr> <td>16 Port POE Switch – 1 units</td> </tr> <tr> <td>8 Port POE Switch – 2 units</td> </tr> <tr> <td>Warranty: One (1) year on parts and labor (1-1-0)</td> </tr> </table> <table border="1"> <tr> <td>Access Point – 14 units</td> </tr> <tr> <td>Mechanical</td> </tr> <tr> <td>- Enclosure material: Plastic</td> </tr> <tr> <td>- Weatherproofing: IP 54</td> </tr> <tr> <td>Hardware</td> </tr> <tr> <td>- Processor Specs: Dual-Core Cortex A53 at 1.35 GHz</td> </tr> <tr> <td>- Memory Information: 512 MB</td> </tr> <tr> <td>- Management Interface</td> </tr> <tr> <td>Ethernet</td> </tr> <tr> <td>Bluetooth Low Energy 5.0</td> </tr> <tr> <td>Networking Interface: (1) 1 Gbps Ethernet RJ45</td> </tr> <tr> <td>- Button: Factory Reset</td> </tr> <tr> <td>- LED: RGB</td> </tr> <tr> <td>- Power Method: PoE+, Passive PoE (48V)</td> </tr> <tr> <td>Warranty: One (1) year on parts and labor (1-1-0)</td> </tr> </table>	NETWORK SWITCH	24 Port Gigabit Switch – 2 units	16 Port Gigabit Switch – 2 units	8 Port Desktop Switch – 4 units	Warranty: One (1) year on parts and labor (1-1-0)	POWER OVER ETHERNET (POE) Switch	16 Port POE Switch – 1 units	8 Port POE Switch – 2 units	Warranty: One (1) year on parts and labor (1-1-0)	Access Point – 14 units	Mechanical	- Enclosure material: Plastic	- Weatherproofing: IP 54	Hardware	- Processor Specs: Dual-Core Cortex A53 at 1.35 GHz	- Memory Information: 512 MB	- Management Interface	Ethernet	Bluetooth Low Energy 5.0	Networking Interface: (1) 1 Gbps Ethernet RJ45	- Button: Factory Reset	- LED: RGB	- Power Method: PoE+, Passive PoE (48V)	Warranty: One (1) year on parts and labor (1-1-0)	
NETWORK SWITCH																									
24 Port Gigabit Switch – 2 units																									
16 Port Gigabit Switch – 2 units																									
8 Port Desktop Switch – 4 units																									
Warranty: One (1) year on parts and labor (1-1-0)																									
POWER OVER ETHERNET (POE) Switch																									
16 Port POE Switch – 1 units																									
8 Port POE Switch – 2 units																									
Warranty: One (1) year on parts and labor (1-1-0)																									
Access Point – 14 units																									
Mechanical																									
- Enclosure material: Plastic																									
- Weatherproofing: IP 54																									
Hardware																									
- Processor Specs: Dual-Core Cortex A53 at 1.35 GHz																									
- Memory Information: 512 MB																									
- Management Interface																									
Ethernet																									
Bluetooth Low Energy 5.0																									
Networking Interface: (1) 1 Gbps Ethernet RJ45																									
- Button: Factory Reset																									
- LED: RGB																									
- Power Method: PoE+, Passive PoE (48V)																									
Warranty: One (1) year on parts and labor (1-1-0)																									

Network Cabling 14 nodes/port – 14 nodes/port	
Smart TV 55" – 1 unit	
*With Wall mount bracket	

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary “pass/fail” criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE	
<i>Class "A" Documents</i>	
<i>Legal Documents</i>	
<input type="checkbox"/>	(a) Valid PhilGEPS Registration Certificate Platinum Membership) (all pages); OR
<input type="checkbox"/>	(b) Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document,
<input type="checkbox"/>	(c) Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;
<input type="checkbox"/>	(d) Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).
<i>Technical Documents</i>	
<input type="checkbox"/>	(e) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid;
<input type="checkbox"/>	(f) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the at least three (3) years as provided in the Bidding Documents;
<input type="checkbox"/>	(g) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission; or original copy of Notarized Bid Securing Declaration;
<input type="checkbox"/>	(h) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; and
<input type="checkbox"/>	(i) Original duly signed Omnibus Sworn Statement (OSS); <ul style="list-style-type: none"> ➤ For corporation/Partnership/Cooperative – attach Original Notarized Secretary's Certificate ➤ For JVA - attach Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.
<i>Financial Documents</i>	
<input type="checkbox"/>	(j) The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; and
<input type="checkbox"/>	(k) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC); or A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.
Class "B" Documents	
<input type="checkbox"/>	(l) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence; or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.
II. FINANCIAL COMPONENT ENVELOPE	
<input type="checkbox"/>	(m) Original of duly signed and accomplished Financial Bid Form;
<input type="checkbox"/>	(n) Original of duly signed and accomplished Price Schedule(s).
<input type="checkbox"/>	(o) Brochures / Data Sheets

ADDITIONAL REQUIREMENTS BY VMC (POST-QUALIFICATION)

<input type="checkbox"/>	Bidding Documents duly signed or initialed by the authorized representative of the prospective bidder (each page) – attached Official Receipt as proof of payment
<input type="checkbox"/>	Document Request List (DRL) from PhilGEPS (Optional)
<input type="checkbox"/>	Bid Bulletin/s
<input type="checkbox"/>	Certificate of Good Performance from at least one (1) Government or Private Hospital / Agency except from VMC (CY 2021-present)
<input type="checkbox"/>	Special Power of Attorney (SPA) for authorized representative if OSS is Sole Proprietorship
<input type="checkbox"/>	Proof of evidence for Single Largest Completed Contract (SLCC) – Purchase Order or Notice of Award or Contract Agreement
<input type="checkbox"/>	Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.
<input type="checkbox"/>	License to Operate (LTO)
<input type="checkbox"/>	ITR CY 2021
<input type="checkbox"/>	Certificate of Warranty and Other Certificates required in Terms of Reference (TOR)

